

FIG . 1




FIG . 2




FIG . 3




FIG . 4




FIG . 5

ATTRIBUTE NAME COLUMN	VALUE COLUMN
ROOT BASE	
CURRENT BASE	
IN-BASE DIRECTORY	

32

33

34

35

36

FIG . 6




FIG . 7




FIG . 8

The diagram illustrates an **AGENT REFERENCING TABLE** (labeled 44) containing **EXTERNAL AGENT** (labeled 45) entries. The table has two columns: **AGENT VARIABLE NAME** and **EXTERNAL AGENT**. The **AGENT VARIABLE NAME** column contains entries **agent-0**, **agent-1**, **...**, and **agent-n**. The **EXTERNAL AGENT** column contains empty cells. The table is enclosed in a rectangular border. Four callout lines are present: line 44 points to the top-left corner of the table; line 45 points to the header cell of the **EXTERNAL AGENT** column; line 46 points to the bottom-right corner of the table; and line 26 points to the top-right corner of the table.

AGENT VARIABLE NAME	EXTERNAL AGENT
agent-0	
agent-1	
...	
agent-n	

FIG . 9




FIG . 10




FIG. 11




FIG. 12




FIG . 13




FIG . 14





FIG . 15







FIG . 17






FIG . 19




FIG . 20




FIG . 21




FIG . 22





FIG . 23






FIG . 25




FIG . 26




FIG . 27




FIG . 28

